



# Joint pricing and task allocation for blockchain empowered crowd spectrum sensing

Wenbin Chen<sup>1</sup> · Wei Wang<sup>1</sup> · Zuguang Li<sup>1</sup> · Qiang Ye<sup>2</sup> · Qihui Wu<sup>1</sup>

Received: 21 August 2021 / Accepted: 21 December 2021 / Published online: 11 January 2022  
© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2021

## Abstract

By fully utilizing the capability of the spreading intelligent terminals, crowd spectrum sensing is an efficient and cost-effective framework to realize large-scale and broadband spectrum sensing. However, traditional crowd sensing system relies on a centralized architecture, which not only face severe security and privacy issues, but also may not be able to attract enough users to participate in the sensing tasks due to the lack of effective incentive mechanisms and guaranteed rewards. In this paper, we propose a blockchain-based crowd spectrum sensing framework to achieve secure and privacy-preserving spectrum sensing with guaranteed rewards for participating users. Considering the constraint of the sensing task and the workload of users, the optimal pricing and sensing task allocation scheme under the minimum sensing task constraint is investigated by leveraging Stackelberg game model. We analyze the Nash equilibrium of the sub-games and derive the optimal pricing and sensing task allocation strategy, for both uniform pricing and non-uniform pricing schemes. Simulation results demonstrate the effectiveness of the proposed scheme and it is shown that the scheme can maximize the utility while ensuring the completion of the sensing tasks.

**Keywords** Crowd sensing · Spectrum sensing · Blockchain · Stackelberg game

## 1 Introduction

With the commercialization of 5G and the rapid development of emerging wireless applications, the wireless communication traffic and demands for spectrum resources are growing explosively [1, 2]. In order to meet the spectrum resources demand of future mobile communication system, it is urgent to adopt dynamic spectrum sharing (DSS)

[3]. While DSS facilitates efficient utilization of current spectrum resources, spectrum sensing is required to make optimal spectrum allocation strategy with active users' frequency and location information. Considering the large-scale and dynamic characteristics of the spectrum sharing system, it is costly to deploy wide area spectrum sensing networks.

Different from traditional sensing methods, by using existing mobile intelligent devices to collect large-scale sensing data, crowd sensing is a new data aggregation paradigm with good mobility and scalability [4, 5], and can greatly reduce the construction and maintenance costs of the sensing network [6, 7]. Applying crowd sensing to spectrum sensing can achieve efficient large-scale and dynamic spectrum data collection.

However, the traditional crowd sensing system mostly adopts a centralized architecture, which makes the system vulnerable to single point of failure, and also faces the risks of malicious attacks such as man in the middle attack, and distributed-denial-of-service (DDoS) attack, etc., which affects the reliability and security of the system [8, 9]. On the other hand, data collection in crowd sensing will consume power, computing, and storage resources of

---

✉ Wei Wang  
wei\_wang@nuaa.edu.cn  
Wenbin Chen  
nuaachenwenbin@163.com  
Zuguang Li  
zuguang\_li@nuaa.edu.cn  
Qiang Ye  
qiangy@mun.ca  
Qihui Wu  
wuqihui2014@sina.com

<sup>1</sup> College of Electronic and Information Engineering, Nanjing University of Aeronautics and Astronautics, Nanjing, China

<sup>2</sup> Memorial University of Newfoundland, St. Johns, Canada

mobile devices, which must be compensated with reasonable rewards. Otherwise, rational users may not participate in crowd sensing [10, 11]. More importantly, the spectrum sensing results contain time and location information of the users, through which the behaviors of participating users may be inferred and thus the privacy information is disclosed. Therefore, it is necessary to design a secure and reasonable crowd sensing system.

Blockchain provides a solution to the issues existed in the conventional crowd sensing system. Based on a distributed ledger, blockchain has the advantages of tamper-proof, and improved integrity, traceability, and security [12–14]. With the blockchain technology, a distributed spectrum sensing system can be established without a trusted central server or a third-party organization.

In this paper, we propose a blockchain based crowd spectrum sensing (BCSS) system, where the server publishes sensing tasks in the blockchain network. Users can obtain the tasks and corresponding rewards from the blockchain, and thus determine whether to participate the task. The interactions and spectrum sensing results are recorded in the blockchain after being verified by the verification nodes, which effectively prevents the collusion attack initiated by the sensing platform and overcomes the security risks faced by the trusted third party. In this way, the reliability and security of the system can be effectively improved. Besides, considering the constraint of sensing task, a pricing method of sensing task is designed to encourage users to participate in the sensing task and maximize the utility of both parties. The main contributions are summarized as follows.

- We propose a blockchain-based crowd spectrum sensing mechanism and describe the flow of blockchain based crowd spectrum sensing, where the transactions and spectrum sensing results are recorded in the blockchain, such that the security and privacy issues in conventional sensing systems can be avoided.
- We formulate the interaction between the server and users into a Stackelberg game under the constraints of task requirement, and proposed a pricing method, which encourages users to participate in the sensing task, and maximize the utility of all parties to guarantee the completion of the sensing task.
- We consider both uniform pricing scheme and non-uniform pricing scheme, and derive the optimal pricing and task allocation under two schemes. When the task requirement is small, the performance of two schemes is the same. But the utility of the server under the non-uniform pricing scheme is higher than that under the uniform pricing scheme when the task requirement increases gradually.

The remainder of this paper is organized as follows. Section 2 reviews related work, Sect. 3 introduces the model of the blockchain-based crowd spectrum sensing system. Pricing and sensing task allocation method based on the game model is presented in Sect. 4. Simulation results and discussions are given in Sect. 5. Section 6 concludes this paper. Future work is introduced in Section 7.

## 2 Related work

### 2.1 Crowdsensing and spectrum sensing

There has been a lot of research works on the combination of crowd sensing and spectrum sensing. Most of them aim to integrate the incentive mechanism in crowd sensing with spectrum sensing [15–18]. Lv and Zhu considered detection probability and sensing time, and proposed a cooperative spectrum sensing algorithm based on multi-task crowd sensing by combining crowd sensing incentive mechanism and cooperative spectrum sensing, so as to improve secondary user participation and cooperative spectrum detection probability [15]. Li et al. proposed an incentive mechanism based on social selfishness, which solves the problem that selfish secondary users only interest in their personal interests, and encourages them to participate in cooperative spectrum sensing [17]. Meanwhile, game theory is often used to solve problems in this respect [19–22]. In [19], Nie et al. used a two-stage Stackelberg game to analyze the participation level of the mobile users and the optimal incentive mechanism of the crowdsensing service provider. They investigated two types of incentive mechanism respectively for the crowdsensing platform with complete and incomplete information on social network effects, then proposed the optimal incentive mechanism in terms of discriminatory reward and uniform reward. Yang et al. designed an incentive mechanism using a Stackelberg game for the crowdsourcer-centric model. In the model, the crowd-sourcer announces a total reward and each user is rewarded according to the proportion of their sensing time. The authors analyzed the Stackelberg game between crowd-sourcer and users, then presented an efficient algorithm to compute the unique Stackelberg equilibrium [21]. Besides, in [23], the authors described the crowd-sensing based spectrum monitoring architecture, and proposed a privacy-preserving protocol with a secure trust mechanism.

### 2.2 Blockchain-based crowd sensing

The emergence of blockchain provides an opportunity to solve the issues of the conventional crowd sensing system. Recently, blockchain based crowd sensing system

has attracted more research attentions [24–28]. Li et al. proposed a decentralized crowdsourcing framework based on blockchain, named CrowdBC, and presented a concrete framework, in which smart contract is used to perform crowdsourcing task, and the feasibility of the proposed scheme was verified through a software prototype and real data set on Ethereum [24]. Wei et al. constructed a standard blockchain-based mobile crowd sensing model, designed a smart contract suitable for its operation, and formulated the incentive problem as an optimization problem [25]. The privacy of crowd sensing has also been considered [29–32]. In [29], Wang et al. proposed a secure crowd sensing incentive mechanism based on blockchain, and designed a node cooperative verification method, which uses intragroup negotiation and group transaction verification to realize k-anonymity privacy protection. In [32], Zou et al. proposed an effective blockchain-based location-privacy-preserving crowdsensing model, to improve the data sensing quality and protect worker’s privacy through a two-stage approach.

It is worth noting that existing works consider crowd sensing and spectrum sensing jointly, which focus the incentive mechanism and crowd spectrum sensing algorithm. Considering the challenges in existing crowd sensing schemes, in this paper, we propose a blockchain based crowd spectrum sensing (BCSS) system, which can effectively improve the reliability and security of the system.

### 3 System model and problem formulation

As shown in Fig. 1, we consider a BCSS system where a server and  $N$  users participate in the spectrum sensing based on the blockchain system. The server collects sensing tasks which can be completed by users, and then publishes tasks and corresponding rewards on the blockchain network. Users on the blockchain receive the task and decide whether to perform the sensing task, given the reward and their own cost. To ensure that the sensing tasks are completed and users are encouraged to contribute to the sensing tasks, the server needs to set a reasonable reward for the task.

For the server, we assume that the required minimum workload is  $D$ , otherwise, the sensing task cannot be completed. Define the task price, i.e., the reward per unit workload given by the server to user  $w_i$  is  $p_i$ , and let  $v_i$  represent the workload completed by user  $w_i$ . When the task is completed, the server’s revenue is  $GD$ , where  $G$  is the revenue coefficient of the server. Therefore, the utility function of the server is expressed as

$$U_S(\mathbf{p}, \mathbf{v}) = GD - \sum_{i=1}^N p_i v_i, \quad (1)$$

where  $\mathbf{v} = [v_1, v_2, \dots, v_N]$  is the vector of the workload completed by the users and  $\mathbf{p} = [p_1, p_2, \dots, p_N]$  is the vector of reward per unit workload given by the server to users.




Fig. 1 The blockchain-based crowd spectrum sensing system model

Each user gets rewards by performing sensing tasks, at the same time, also incurs a certain cost. Since users are limited by resources, time and other aspects such as energy, the maximum workload that each user can contribute is limited. Therefore, the utility function of user  $w_i$  is given by

$$U_i(v_i, p_i) = p_i v_i - c_i \log_2 \left( 1 + \frac{v_i^2}{d_i^2} \right). \quad (2)$$

Note that  $c_i$  is the user's cost coefficient,  $d_i$  is the maximum workload that user  $w_i$  can complete, and  $v_i$  is user  $w_i$ 's workload.

Obviously, users can get more rewards from the server by performing more tasks, which, on the other hand, will also incur a higher cost. Therefore, rational users need to generate an optimal strategy to balance the cost and reward to maximize their utility. Since both the server and users are selfish and rational, game theory is suitable to describe the problem mathematically. In this paper, we adopt the Stackelberg game model, where the server acts as the leader to set the optimal reward and users as followers to determine the workload. The leader needs to find the optimal pricing to achieve the maximum utility under the workload demand constraint. Each follower will contribute optimal workload according to the pricing given by the leader to maximize its utility. The optimization problems of the server and users can be formulated as follows [33].

Server's sensing task pricing:

$$\begin{aligned} \max_p U_S(\mathbf{p}, \mathbf{v}) \\ \text{s.t. } \sum_{i=1}^N v_i \geq D, \end{aligned} \quad (3)$$

and user's workload choice:

$$\begin{aligned} \max_{v_i} U_i(v_i, p_i) \\ \text{s.t. } v_i \leq d_i. \end{aligned} \quad (4)$$

## 4 Optimal pricing and task allocation

For the proposed Stackelberg game, based on the definition of Nash equilibrium in [34], the SE is defined in the following definition.

**Definition 1 (Stackelberg Equilibrium)** Let  $\mathbf{p}^*$  be a solution for the sensing task pricing problem and  $\mathbf{v}_i^*$  be a solution for the workload choice problem of the user. Then the point  $(\mathbf{p}^*, \mathbf{v}^*)$  is a SE for the proposed Stackelberg game if for any  $(\mathbf{p}, \mathbf{v})$ , the following conditions are satisfied:

$$U_S(\mathbf{p}^*, \mathbf{v}^*) \geq U_S(\mathbf{p}, \mathbf{v}^*), \quad (5)$$

$$U_S(v_i^*, p_i^*) \geq U_S(v_i, p_i^*). \quad (6)$$

In the following, we use the backward induction method to analyze the Stackelberg game. We first consider a uniform pricing scheme, where the reward per unit workload set by the server is the same for all users, i.e.,  $p_i = p, \forall i$ .

### 4.1 Uniform pricing scheme

According to Eq. (4), the user's optimization problem can be written as:

$$\begin{aligned} \text{Problem 1: } \max_{v_i \geq 0} p v_i - c_i \log_2 \left( 1 + \frac{v_i^2}{d_i^2} \right), \\ \text{s.t. } v_i \leq d_i. \end{aligned} \quad (7)$$

Then we have the following proposition.

**Proposition 1** For a given unit workload price  $p$ , the optimal solution for Problem 1 is given by:

$$v_i^* = \begin{cases} d_i, & \text{if } p > \frac{c_i}{d_i \ln 2}, \\ \chi_i, & \text{if } p \leq \frac{c_i}{d_i \ln 2}. \end{cases} \quad (8)$$

$$\text{Where } \chi_i = \frac{c_i - \sqrt{c_i^2 - (p d_i \ln 2)^2}}{p \ln 2}.$$

**Proof** According to Eq. (2), the first-order and second-order partial derivatives of  $U_i$  with respect to  $v_i$  are

$$\frac{\partial U_i}{\partial v_i} = p - \frac{2c_i v_i}{(d_i^2 + v_i^2) \ln 2}, \quad (9)$$

$$\frac{\partial^2 U_i}{\partial v_i^2} = -\frac{2c_i(d_i^2 - v_i^2)}{(d_i^2 + v_i^2)^2 \ln 2}. \quad (10)$$

According to Eqs. (9) and (10), the second derivative is less than zero when  $v_i \leq d_i$  and is larger than zero otherwise. So the first derivative achieves the minimum value when  $v_i = d_i$ . If  $p > \frac{c_i}{d_i \ln 2}$ ,  $U_i$  increases monotonically with  $v_i$ . If  $p \leq \frac{c_i}{d_i \ln 2}$ , the first derivative decreases monotonically with  $v_i$ , and Eq. (9) is larger than zero when  $v_i = 0$ , so there exists a positive value makes  $\frac{\partial U_i}{\partial v_i} = 0$  hold. Hence,  $U_i$  achieves the maximum value when  $\frac{\partial U_i}{\partial v_i} = 0$ . Since  $v_i \leq d_i$ , we can obtain Eq. (8). Thus, Proposition 1 is proved.  $\square$

From Eq. (8), when  $p \leq \frac{c_i}{d_i \ln 2}$ ,  $v_i^*$  increases monotonically with  $p$ . In addition, under the same unit workload price, more workload will be completed by user with higher

maximum workload for the same cost coefficient. When  $p > \frac{c_i}{d_i \ln 2}$ ,  $v_i^*$  get the maximum, which means that users will choose to complete their own maximum workload. Substitute  $v_i^*$  into Eq. (3), then the optimization problem of the server can be written as:

$$\begin{aligned} \text{Problem 2 : } \max_{p \geq 0} & GD - p \sum_{i=1}^N v_i^*, \\ \text{s.t. } & \sum_{i=1}^N v_i^* \geq D. \end{aligned} \quad (11)$$

With Eq. (8), we can transform problem 2 into a series of subproblems. Firstly, we sort all users in order  $\frac{c_1}{d_1} > \frac{c_2}{d_2} > \dots > \frac{c_N}{d_N}$ . Consider a special case first, i.e.,  $p \leq \frac{c_N}{d_N \ln 2}$ . Then, Problem 2 can be converted to a minimization problem as:

$$\begin{aligned} \text{Problem 2a : } \min_{p \geq 0} & p \sum_{i=1}^N \chi_i, \\ \text{s.t. } & \sum_{i=1}^N \chi_i \geq D, \\ & p \leq \frac{c_N}{d_N \ln 2}. \end{aligned} \quad (12)$$

According to Eq. (12), the derivative of  $\sum_{i=1}^N \chi_i$  with respect to  $p$  is larger than zero. So  $\sum_{i=1}^N \chi_i$  increases monotonically with  $p$ . For convenience, let  $\gamma_i^N = \frac{c_i - \sqrt{c_i^2 - d_i^2 \left(\frac{c_N}{d_N}\right)^2}}{\frac{c_N}{d_N}}$ . Since  $p \leq \frac{c_N}{d_N \ln 2}$ , the maximum value of  $\sum_{i=1}^N \chi_i$  is  $\sum_{i=1}^N \gamma_i^N$ . If  $D > \sum_{i=1}^N \gamma_i^N = d_N + \sum_{i=1}^{N-1} \gamma_i^N$ , the constraints in Eq. (12) cannot be satisfied when  $p \leq \frac{c_N}{d_N \ln 2}$ , i.e., when  $D$  satisfies the following conditions, Problem 2a has an optimal solution:

$$D \leq d_N + \sum_{i=1}^{N-1} \gamma_i^N. \quad (13)$$

**Proposition 2** *If the condition in Eq. (13) holds, the optimal solution of Problem 2a  $p^*$  satisfies:*

$$\sum_{i=1}^N \left[ c_i - \sqrt{c_i^2 - (p^* d_i \ln 2)^2} \right] = D p^* \ln 2. \quad (14)$$

**Proof** When  $D$  satisfies Eq. (13), there exist a value of  $p$  makes  $\sum_{i=1}^N \chi_i \geq D$  hold. It is not difficult to see that the objective function increases monotonically with  $p$ . In order to minimize it, we should minimize  $p$  under the constraint of Eq. (12). Besides, the objective function also increases monotonically with  $p$ , so under the condition of  $\sum_{i=1}^N \chi_i \geq D$ , when  $\sum_{i=1}^N \chi_i = D$ ,  $p$  get the minimum value, we obtain the

optimal solution of problem 2a. Thus, Proposition 2 is proved.  $\square$

From proposition 2, can conclude that Problem 2a has an optimal solution  $p^*$  satisfy Eq. (14) when Eq. (13) holds. It means that when  $D$  is small, the server can maximize the utility with a small reward  $p$ . However, when  $D > d_N + \sum_{i=1}^{N-1} \gamma_i^N$ ,  $p$  cannot satisfy the workload requirement. Then, the server needs to improve  $p$  to stimulate users to make more contributions.

Next, we further consider the case when  $D > d_N + \sum_{i=1}^{N-1} \gamma_i^N$ , according to previous analysis, we know that  $p > \frac{c_N}{d_N \ln 2}$ . Suppose  $\frac{c_N}{d_N \ln 2} < p \leq \frac{c_{N-1}}{d_{N-1} \ln 2}$ , we have:

$$v_i^* = \begin{cases} d_N, & \text{if } i = N, \\ \chi_i, & \text{if } 1 \leq i < N. \end{cases} \quad (15)$$

Now, Problem 2 can be converted to a minimization problem as:

$$\begin{aligned} \text{Problem 2a: } \min_{p > \frac{c_N}{d_N \ln 2}} & p d_N + p \sum_{i=1}^{N-1} \chi_i \\ \text{s.t. } & d_N + \sum_{i=1}^{N-1} \chi_i \geq D, \\ & p \leq \frac{c_{N-1}}{d_{N-1} \ln 2}. \end{aligned} \quad (16)$$

It is observed that Problem 2b has similar formation as Problem 2a, according to the previous analysis, it is easy to know that when  $D$  satisfies the following conditions, Problem 2b has an optimal solution:

$$d_N + \sum_{i=1}^{N-1} \gamma_i^N < D \leq d_N + d_{N-1} + \sum_{i=1}^{N-2} \gamma_i^{N-1}. \quad (17)$$

**Proposition 3** *If  $D$  satisfies Eq. (17), the optimal solution of Problem 2b satisfies the following equation:*

$$\sum_{i=1}^{N-1} \frac{c_i - \sqrt{c_i^2 - (p^* d_i \ln 2)^2}}{\ln 2} = D p^* - d_N p^*. \quad (18)$$

**Proof** The proof is similar to that of Proposition 2, and is omitted here.

Then we conclude that When  $D$  satisfies Eq. (17), Problem 2 has an optimal solution  $p^*$  which satisfies Eq. (18) when  $\frac{c_N}{d_N \ln 2} < p \leq \frac{c_{N-1}}{d_{N-1} \ln 2}$ . Because when  $p \leq \frac{c_N}{d_N \ln 2}$ , the constraints cannot be satisfied, when  $p > \frac{c_{N-1}}{d_{N-1} \ln 2}$ , although it can satisfy the constraints, it needs to give more payment to users, which is not the optimal solution. Similarly, when

$D > d_N + d_{N-1} + \sum_{i=1}^{N-2} \gamma_i^{N-1}$ , the unit reward  $p^*$  given by the server should also be increased.

Based on Proposition 2 and Proposition 3, we further consider the case of  $D$  in other intervals, it is easy to obtain the optimal solution of problem 2 with the form of Eq. (19), shown at the top of the this page, with

$$\begin{cases} \sum_{i=1}^N \left[ c_i - \sqrt{c_i^2 - (p^* d_i \ln 2)^2} \right] = D p^* \ln 2, & \text{if } 0 \leq D \leq Y_N, \\ \sum_{i=1}^{N-1} \left[ c_i - \sqrt{c_i^2 - (p^* d_i \ln 2)^2} \right] = D p^* \ln 2 - d_N p^* \ln 2, & \text{if } Y_N < D \leq Y_{N-1}, \\ \vdots & \vdots \\ c_1 - \sqrt{c_1^2 - (p^* d_1 \ln 2)^2} = D p^* \ln 2 - \sum_{i=2}^N d_i p^* \ln 2, & \text{if } Y_2 < D \leq Y_1. \end{cases} \tag{19}$$

$$Y_K = \frac{\sum_{i=1}^{K-1} \left[ c_i - \sqrt{c_i^2 - \left(\frac{c_K}{d_K} d_i\right)^2} \right]}{\frac{c_K}{d_K}} + \sum_{i=K}^N d_i, \quad 1 \leq K \leq N. \tag{20}$$

According to Eq. (19), we can find that the server should set the price according to the workload demand  $D$ . For a given  $D$ , the optimal unit reward  $p$  is unique. In Eq. (19), the proofs of  $D$  in other different intervals are similar to that of Proposition 2 and Proposition 3, which are omitted here.

Now, the Stackelberg game for the optimal sensing task pricing scheme is completely solved. With the optimal solutions of Problem 1 and Problem 2 we can obtain the SE for the proposed Stackelberg game:  $(\mathbf{p}^*, \mathbf{v}^*)$ , where  $\mathbf{p}^*$  is given by Eq. (19),  $\mathbf{v}^*$  is given by Eq. (8).

Notice that it is difficult to obtain the analytical solutions of the related equations in Eq. (19), so we consider calculating the numerical solutions. Based on Proposition 2 and Proposition 3, we know that when  $D$  is in a certain interval, we can not only obtain the equation that the optimal solution  $p^*$  satisfies, but also obtain its interval, which is convenient for us to find the numerical solution of  $p^*$ . Besides, according to Eqs. (12) and (16), given an interval of  $D$ , both the objective function and the left-hand side of the constraint condition are monotonically increasing functions of  $p$ , when equality holds in constrained condition, the objective function is maximized. Based on this, we can use the bisection method to obtain the numerical solution of  $p^*$ .

### 4.2 Non-uniform pricing scheme

We have analyzed the uniform sensing task pricing scheme, where the reward per unit workload is the same for all users. In this subsection, we further investigate the non-uniform pricing scheme, where the unit reward for different users varies.

According to Eq. (8), for user  $w_i$ , it will choose to complete the maximum workload  $d_i$  when  $p \geq \frac{c_i}{d_i \ln 2}$ . Even if  $p$  is increased,  $w_i$  has reached the upper limit of its capability and cannot contribute more workload. In other words, if  $p \geq \frac{c_i}{d_i \ln 2}$ , i.e., when the reward per unit workload  $p$  given by the server to user  $w_i$  exceeds  $\frac{c_i}{d_i \ln 2}$ , the server cannot get more

benefits from  $w_i$ .

It is easy to know that for those users who have contributed the maximum workload, the unit reward given by the server should just encourage them to complete the maximum workload. In this way, users will not reduce their workload and the server can avoid paying too much. We propose a non-uniform pricing scheme. Specifically, for user  $w_i$ , if the unit reward  $p$  of uniform pricing scheme exceeds  $\frac{c_i}{d_i \ln 2}$ , then the unit reward given by the server to  $w_i$  is set as  $\frac{c_i}{d_i \ln 2}$ .


$$p_i = \begin{cases} p^*, & \text{if } p^* < \frac{c_i}{d_i \ln 2}, \\ \frac{c_i}{d_i \ln 2}, & \text{if } p^* \geq \frac{c_i}{d_i \ln 2}. \end{cases} \tag{21}$$

Here  $p^*$  is given by Eq. (19).

## 5 Simulation results and discussions

In this section, simulation results are presented to demonstrate the performance of the proposed scheme. We assume that the workload demand  $D$  of sensing task will not exceed the sum of the maximum workload of all users, that is, the sensing task can always be completed. Without loss of generality, the maximum workload  $d_i$  of users are assumed to obey a uniform distribution on interval [5, 10], and the cost coefficients  $c_i$  of users are assumed to obey a uniform distribution on interval [15, 20].


First of all, the relationship between the task price  $p$  and workload demand  $D$  under the proposed optimal pricing method is examined. As shown in Fig. 2, given the number of users, the unit price  $p$  of the task increases with the workload demand  $D$ . This is because when  $D$  increases, each user needs to complete more workload, so the server needs to give a higher price to motivate users. In addition, the relationship between the task price  $p$  and number of users is shown in Fig. 3. We can see that the task price decreases as the number of users under the same workload demand. This



**Fig. 2** The sensing task price  $p$  versus the workload demand  $D$

is because as the number of users increases, the workload that each user needs to complete decreases, so the task price also decreases.


The total utility of all users and the utility of the server under the proposed optimal pricing method are evaluated in Figs. 4 and 5. Given the workload demand, with the increase of the number of users, the total utility of users decrease, while the utility of server increases. This is because as the number of users increases, the price of tasks will decrease, while the total workload completed by users remains unchanged. For the server, the total payment to the users decreases, resulting in an increase in its utility. Besides, the utility of both users and the server increase with the workload demand under the same number of users. It can be seen that the total utility of users and the utility of the server




**Fig. 4** The total utility of users

tend to be flat gradually, when the number of users is large enough.


The workload completed by users and the workload demand is examined in Fig. 6. We assume three users participate in sensing task and the maximum workload of all users are assumed to be identical with  $d_1 = d_2 = d_3 = 10$ , and the cost coefficients of these users are different with  $[c_1, c_2, c_3] = [20, 15, 10]$ . As shown in Fig. 6, instead of one user completing the task alone, three users contribute the required workload of sensing task together. On one hand, the capability of a single user may not be enough to complete the whole task when the workload demand is large. On the other hand, the server can get larger utility with more users competition. Meanwhile, we can find that users with lower cost coefficients tend to contribute more workload under the



**Fig. 3** The sensing task price  $p$  versus the number of users




**Fig. 5** The utility of the server



**Fig. 6** Workload completed by different users with uniform pricing scheme

same maximum workload. For the server, stimulating these cheaper users to make more contribution for the sensing task can reduce the total reward paid to users and increase its utility.

The performance between the uniform pricing and non-uniform pricing is compared in Fig. 7. We introduce another pricing method for comparison, i.e., average pricing method. We assume there are five users participate in sensing task. As shown in Fig. 7, under the uniform pricing scheme and non-uniform pricing scheme, the utility of the server are higher than that of the average pricing method. As mentioned above, the uniform pricing and non-uniform pricing schemes both can encourage cheaper users to contribute more workload to reduce the server's payment. However,



**Fig. 7** Comparison of different pricing methods

the average pricing method makes different users complete the same workload, result in lower utility. Besides, compare uniform pricing and non-uniform pricing schemes, we can find that when  $D$  is small, the utility of server is the same under the two schemes. When  $D$  gets larger and larger, the utility of the server under non-uniform pricing scheme is higher than that under the uniform pricing scheme.

## 6 Conclusion

In this paper, we have proposed a blockchain-based crowd spectrum sensing framework, which takes advantage of blockchain to solve the issues of reliability and stability in the conventional crowd sensing system. To encourages users to participate in the sensing task, we consider the constraint of the sensing task and the workload that users contribute to sensing task, a Stackelberg game based formulation is established to study the utility maximization for the server and users. The server's optimal pricing method under both uniform and non-uniform pricing schemes are developed, the performance of the proposed sensing task pricing method is examined through simulation. The simulation results showed that the proposed sensing task pricing method can ensure the completion of sensing task, while maximizing the utilities of the server and users.

## 7 Future work

In this work, some of the details in the BCSS system are not fully considered, and we only consider the task allocation and pricing method for a single task. In future work, on the one hand, we will further refine the model and process of blockchain-based crowd spectrum sensing system, by incorporating more details such as smart contract based task auction with reputation. On the other hand, we will consider more complex situations and study the task allocation and pricing method for multiple sensing tasks.

**Acknowledgements** This work was supported in part by the National Key R&D Program of China under Grant 2020YFB1005900, the National Natural Science Foundation of China No. 62001220, the Natural Science Foundation of Jiangsu Province BK20200440, the Future Network Scientific Research Fund Project FNSRFP-2021-YB-03, and the Fundamental Research Funds for the Central Universities No. 1004-YAH20016, No. NT2020009.

## Declarations

**Conflict of interest** The authors declare that they have no conflict of interest.



## References

- Zhou Y (2016) Feasibility research and suggestions of spectrum sharing. *Telecomm Sci* 32(5):146–151
- Zhenhua D, Zhou S (2020) Dynamic adjustment mechanism for spectrum resource allocation in china. *J Beijing Univ Posts Telecomm (Social Sciences Edition)* 22(1):14–19
- Li Z, Wang W, Wu Q (2020) Blockchain-based dynamic spectrum sharing for 5G and beyond wireless communications. In *BlockSys*
- Ma H, Zhao D, Yuan P (2014) Opportunities in mobile crowd sensing. *IEEE Commun Mag* 52(8):29–35
- Ni J, Zhang K, Yu Y, Lin X, Shen XS (2020) Providing task allocation and secure deduplication for mobile crowdsensing via fog computing. *IEEE Trans Dependable Secure Comput* 17(3):581–594
- Ganti RK, Ye F, Lei H (2011) Mobile crowdsensing: current state and future challenges. *IEEE Commun Mag* 49(11):32–39
- Huang J, Kong L, Dai H-N, Ding W, Cheng L, Chen G, Jin X, Zeng P (2020) Blockchain-based mobile crowd sensing in industrial systems. *IEEE Trans Industr Inf* 16(10):6553–6563
- Wei L, Jing W, Long C, Lin Y-B (2019) The convergence of IoT and blockchain: Security challenges. *IT Professional* 21(5):26–32
- Wei L, Jing W, Long C (2020) A blockchain-based hybrid incentive model for crowdsensing. *Electronics* 9(2):215
- Liu Y, Li H, Guan X, Yuan K, Zhao G, Duan J (2018) Review of incentive mechanism for mobile crowd sensing. *J Chongqing Univ Posts Telecommun (Natural Science Edition)* 30(2):147–158
- Liu J, Huang S, Wang W, Li D, Deng X (2021) An incentive mechanism based on endowment effect facing social welfare in crowdsensing. *Peer Peer Netw Appl* 14:3929–3945
- Khan SN, Loukil F, Ghedira C, Benkhelifa E, Bani-Hani AI (2021) Blockchain smart contracts: Applications, challenges, and future trends. *Peer Peer Netw Appl* 14:2901–2925
- Xinyi Y, Yi Z, He Y (2018) Technical characteristics and model of blockchain. In *2018 10th International Conference on Communication Software and Networks (ICCSN)* pp. 562–566
- Liu D, Ni J, Huang C, Lin X, Shen XS (2020) Secure and efficient distributed network provenance for iot: A blockchain-based approach. *IEEE Internet Things J* 7(8):7564–7574
- Lv X, Zhu Q (2018) A multi-task crowd cooperative spectrum sensing algorithm. *J Signal Process* 34(4):487–493
- Tian S, Zhao S, Zhu Q (2018) Cooperative spectrum sensing algorithm based on bayesian game. *J Nanjing Univ Posts Telecommun (Natural Science)* 38(2):29–34
- Li J, Feng J, Kang S, Guo Y (2013) Ssim: An incentive mechanism based on social selfishness for cooperative spectrum sensing. In *2013 8th International Conference on Communications and Networking in China (CHINACOM)*, 969–972
- Li X, Zhu Q (2018) Social incentive mechanism based multi-user sensing time optimization in co-operative spectrum sensing with mobile crowd sensing. *Sensors* 18(1):250
- Nie J, Luo J, Xiong Z, Niyato D, Wang P (2019) A stackelberg game approach toward socially-aware incentive mechanisms for mobile crowdsensing. *IEEE Trans Wireless Commun* 18(1):724–738
- Zhang X, Zhu Q (2020) A multi-task cooperative spectrum sensing algorithm based on stackelberg game. *J Signal Process* 36(1):77–83
- Yang D, Xue G, Fang X, Tang J (2016) Incentive mechanisms for crowdsensing: Crowdsourcing with smartphones. *IEEE/ACM Trans Netw* 24(3):1732–1744
- Chen B, Zhang B, Yu J-L, Chen Y, Han Z (2017) An indirect reciprocity based incentive framework for cooperative spectrum sensing. In *2017 IEEE International Conference on Communications (ICC)* pp. 1–6
- Hajian G, Ghahfarokhi BS, Vasfi MA, Ladani BT (2021) Privacy, trust, and secure rewarding in mobile crowd-sensing based spectrum monitoring. *J Ambient Intell Humaniz Comput* pp. 1–21
- Li M, Weng J, Yang A, Lu W, Zhang Y, Hou L, Liu J-N, Xiang Y (2018) Deng RH (2018) Crowdabc: A blockchain-based decentralized framework for crowdsourcing. *IEEE Trans Parallel Distrib Syst* 30(6):1251–1266
- Wei X, Yan Y, Jiang W, Shen J, Qiu X (2019) A blockchain based mobile crowdsensing market. *China Communications* 16(6):31–41
- Huang J, Kong L, Kong L, Liu Z, Liu Z, Chen G (2018) Blockchain-based crowd-sensing system. In *2018 1st IEEE International Conference on Hot Information-Centric Networking (HotICN)* pp. 234–235
- Xiaolong X, Liu Q, Zhang X, Zhang J, Qi L, Dou W (2019) A blockchain-powered crowdsourcing method with privacy preservation in mobile environment. *IEEE Trans Comput Social Syst* 6(6):1407–1419
- Kadadha M, Otrok H, Mizouni R, Singh S, Ouali A (2020) Sensechain: A blockchain-based crowdsensing framework for multiple requesters and multiple workers. *Futur Gener Comput Syst* 105:650–664
- Wang Jingzhong, Li M, He Y, Li H, Xiao K, Wang C (2018) A blockchain based privacy-preserving incentive mechanism in crowdsensing applications. *IEEE Access* 6:17545–17556
- Peng T, Liu J, Chen J, Wang G (2020) A privacy-preserving crowdsensing system with multi-blockchain. In *2020 IEEE 19th International Conference on Trust, Security and Privacy in Computing and Communications (TrustCom)* pp. 1944–1949
- Jia B, Zhou T, Li W, Liu Z, Zhang J (2018) A blockchain-based location privacy protection incentive mechanism in crowd sensing networks. *Sensors* 18(11):3894
- Zou S, Xi J, Wang H, Guoai X (2020) Crowdblps: A blockchain-based location-privacy-preserving mobile crowdsensing system. *IEEE Trans Industr Inf* 16(6):4206–4218
- Cao B, Xia S, Han J, Li Y (2020) A distributed game methodology for crowdsensing in uncertain wireless scenario. *IEEE Trans Mob Comput* 19(1):15–28
- Bacci G, Sanguinetti L, Luise M (2015) Understanding game theory via wireless power control [lecture notes]. *IEEE Signal Process Mag* 32(4):132–137

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Wenbin Chen** received his B.S. degree in electronic information science and technology from Nanjing University of Aeronautics and Astronautics, Nanjing, China, in 2021, where he is currently pursuing the M.S. degree in communication and information system. His research interests include blockchain technologies, crowdsensing and dynamic spectrum sharing.




**Qiang Ye** received the Ph.D. degree in electrical and computer engineering from the University of Waterloo, ON, Canada, in 2016. Since September 2021, he has been an Assistant Professor with the Department of Computer Science, Memorial University of Newfoundland, NL, Canada. Before joining Memorial University, he had been with the Department of Electrical and Computer Engineering and Technology, Minnesota State University, Mankato, USA, as an Assistant Professor from September 2019 to August 2021. From December 2016 to September 2019, he had



**Wei Wang** received the B.Eng. degree in information countermeasure technology and the M.Eng. degree in signal and information processing from Xidian University, Xi'an, China, in 2011 and 2014, respectively, and the Ph.D. degree in electrical and electronic engineering from Nanyang Technological University (NTU), Singapore, in 2018. From September 2018 to August 2019, he was a Postdoctoral Fellow with the Department of Electrical and Computer Engineering, University of Waterloo,

Waterloo, ON, Canada. He is currently a Professor with the Nanjing University of Aeronautics and Astronautics, Nanjing, China. His research interests include wireless communications, space-air-ground integrated networks, wireless security, and electromagnetic spectrum security. Dr. Wang was awarded the IEEE Student Travel Grants for the IEEE International Conference on Communications 2017 and the Chinese Government Award for outstanding self-financed students abroad.

Waterloo, ON, Canada. He is currently a Professor with the Nanjing University of Aeronautics and Astronautics, Nanjing, China. His research interests include wireless communications, space-air-ground integrated networks, wireless security, and electromagnetic spectrum security. Dr. Wang was awarded the IEEE Student Travel Grants for the IEEE International Conference on Communications 2017 and the Chinese Government Award for outstanding self-financed students abroad.



**Zuguang Li** received his B.S. degree in electronic information science and technology from Nanjing University of Aeronautics and Astronautics, Nanjing, China, in 2020, where he is currently pursuing the M.S. degree in communication and information system. His research interests mainly focus on blockchain technologies and dynamic spectrum sharing.



**Qihui Wu** (SM'13) received his B.S. degree in communications engineering, M.S. degree and Ph.D. degree in communications and information systems from Institute of Communications Engineering, Nanjing, China, in 1994, 1997 and 2000, respectively. From 2003 to 2005, he was a Postdoctoral Research Associate at Southeast University, Nanjing, China. From 2005 to 2007, he was an Associate Professor with the College of Communications Engineering,

PLA University of Science and Technology, Nanjing, China, where he served as a Full Professor from 2008 to 2016. Since May 2016, he has been a full professor with the College of Electronic and Information Engineering, Nanjing University of Aeronautics and Astronautics, Nanjing, China. From March 2011 to September 2011, he was an Advanced Visiting Scholar in Stevens Institute of Technology, Hoboken, USA. Dr. Wu's current research interests span the areas of wireless communications and statistical signal processing, with emphasis on system design of software defined radio, cognitive radio, and smart radio.

## Terms and Conditions

Springer Nature journal content, brought to you courtesy of Springer Nature Customer Service Center GmbH (“Springer Nature”).

Springer Nature supports a reasonable amount of sharing of research papers by authors, subscribers and authorised users (“Users”), for small-scale personal, non-commercial use provided that all copyright, trade and service marks and other proprietary notices are maintained. By accessing, sharing, receiving or otherwise using the Springer Nature journal content you agree to these terms of use (“Terms”). For these purposes, Springer Nature considers academic use (by researchers and students) to be non-commercial.

These Terms are supplementary and will apply in addition to any applicable website terms and conditions, a relevant site licence or a personal subscription. These Terms will prevail over any conflict or ambiguity with regards to the relevant terms, a site licence or a personal subscription (to the extent of the conflict or ambiguity only). For Creative Commons-licensed articles, the terms of the Creative Commons license used will apply.

We collect and use personal data to provide access to the Springer Nature journal content. We may also use these personal data internally within ResearchGate and Springer Nature and as agreed share it, in an anonymised way, for purposes of tracking, analysis and reporting. We will not otherwise disclose your personal data outside the ResearchGate or the Springer Nature group of companies unless we have your permission as detailed in the Privacy Policy.

While Users may use the Springer Nature journal content for small scale, personal non-commercial use, it is important to note that Users may not:

1. use such content for the purpose of providing other users with access on a regular or large scale basis or as a means to circumvent access control;
2. use such content where to do so would be considered a criminal or statutory offence in any jurisdiction, or gives rise to civil liability, or is otherwise unlawful;
3. falsely or misleadingly imply or suggest endorsement, approval, sponsorship, or association unless explicitly agreed to by Springer Nature in writing;
4. use bots or other automated methods to access the content or redirect messages
5. override any security feature or exclusionary protocol; or
6. share the content in order to create substitute for Springer Nature products or services or a systematic database of Springer Nature journal content.

In line with the restriction against commercial use, Springer Nature does not permit the creation of a product or service that creates revenue, royalties, rent or income from our content or its inclusion as part of a paid for service or for other commercial gain. Springer Nature journal content cannot be used for inter-library loans and librarians may not upload Springer Nature journal content on a large scale into their, or any other, institutional repository.

These terms of use are reviewed regularly and may be amended at any time. Springer Nature is not obligated to publish any information or content on this website and may remove it or features or functionality at our sole discretion, at any time with or without notice. Springer Nature may revoke this licence to you at any time and remove access to any copies of the Springer Nature journal content which have been saved.

To the fullest extent permitted by law, Springer Nature makes no warranties, representations or guarantees to Users, either express or implied with respect to the Springer nature journal content and all parties disclaim and waive any implied warranties or warranties imposed by law, including merchantability or fitness for any particular purpose.

Please note that these rights do not automatically extend to content, data or other material published by Springer Nature that may be licensed from third parties.

If you would like to use or distribute our Springer Nature journal content to a wider audience or on a regular basis or in any other manner not expressly permitted by these Terms, please contact Springer Nature at

[onlineservice@springernature.com](mailto:onlineservice@springernature.com)